






SSM P/N LCC03204

NOTES:

1. INTERPRET DRAWING PER 300-STD-100.
2. DIMENSIONS ARE TYPICAL FOR ALL QUADRANTS UNLESS OTHERWISE SPECIFIED.
3. FINISH: GOLD PLATE 80μ INCHES MIN. OVER 80μ INCHES MIN. NICKEL.
4. DIE ATTACH CAVITY AND SEAL RING WILL BE ELECTRICALLY ISOLATED.
5. LEAD RESISTANCE: 300 mΩ MAX.
6. NO METAL ALLOWED ON CORNERS.
7. NO METAL IN D/A CAVITY.

REVISIONS					
ZONE	REV	ECN	DESCRIPTION	DATE	APPROVED
	01		INITIAL RELEASE	03/14/98	
	02	448	CHG. SR I.D RAD. AND CAVITY SIZE	08/28/98	



UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES DIMENSION TOLERANCES ARE: DECIMALS INCHES ± 0.005 ± 0.010 ± 0.015 ± 0.020 ± 0.030 ± 0.050 ± 0.100 ± 0.150 ± 0.250 ± 0.500 ± 1.000	DESIGNED BY	DATE	TITLE 32 LD LCC 320 X 410
	DRAWN BY	DATE	
CHECKED BY	DATE	SIZE	REV
APPROVED BY	DATE	C	*A
MATERIAL		LCC03204	

